

	ARCADIA REPTILE	
	PRODUCT DATA SHEET	
RFRP	EURO DESERT FLUORESCENT TUBE	




GENERAL DESCRIPTION - a range of T8 fluorescent tubes designed to simulate as closely as possible the spectrum of natural sunlight. High light output of UVA and UVB to support the synthesis of vitamin D3 in desert reptile species. This product has been designed for use in terraria/aviculture only. Product not suitable for household lighting.





SPECIAL PRECAUTIONS

These tubes have a high light output, do not look directly at the tube when it is lit. Fluorescent tubes contain small amounts of mercury which would could be released if a tube is broken. The amount of mercury released would not be enough to pose a health risk to anyone immediately exposed but as a precautionary measure any room in which a tube breaks should be aired for 15 minutes. Do not use a vacuum cleaner or brush to remove debris as this risks further contamination. Wear disposable gloves. Carefully scoop up the larger bits of glass with a disposable piece of cardboard or similar. Use a piece of duct tape to pick up small pieces of glass and powder. Clean area with a paper towel. Seal all materials and cleaning equipment in a robust container and treat as hazardous waste. Thoroughly wash hands with soap and water. Dispose of in line with WEEE regulations.

LAMP DIMENSIONS



	"A" mm	"B" mm	"C" mm	"D" mm
RFRP15	26	450	464	457
RFRP18	26	600	614	607
RFRP25	26	750	764	757
RFRP30	26	900	914	907
RFRP38	26	1050	1064	1057


 Monkfield Reptile	ARCADIA REPTILE	
	PRODUCT DATA SHEET	
RFRP	EURO DESERT FLUORESCENT TUBE	 





MEASUREMENTS

	Nominal wattage	Rated Power	Power cor.	Power usage	Lumen output	Lumens per watt	Energy rating	CRI
	W	W	W	kWh/1000h	lm	lm/W		
RFRP15	15	15	18	18	300	16.67	B	1A
RFRP18	18	20	24	24	450	18.75	B	1A
RFRP25	25	24.5	29.4	29.4	800	27.21	B	1A
RFRP30	30	30	36	36	950	26.39	B	1A
RFRP38	38	40	48	48	1100	22.92	B	1A

	Colour temp.	Lux @ 200mm	Lux @ 400mm	PAR @ 200mm	PAR @ 400mm	UVA	UVB	Euv
	K	lx	lx	m ⁻² s ⁻¹	m ⁻² s ⁻¹	%	%	mW/klm
RFRP15	6600					30	10	
RFRP18	6600					30	10	36.2
RFRP25	6600					30	10	39.9
RFRP30	6600					30	10	37.2
RFRP38	6600					30	10	33.5

COLOUR SPECTRAL CHART wavelength nm



	ARCADIA REPTILE	
	PRODUCT DATA SHEET	
RFRP	EURO DESERT FLUORESCENT TUBE	 

COLOUR RENDER INDEX CHART

TEST EQUIPMENT

Power drawn	Everfine HAAS 1200 array spectroradiometer
Lumen output	Everfine HAAS 1200 array spectroradiometer
Colour temperature	Everfine HAAS 1200 array spectroradiometer
Lux	Iso-Tech Light Meter model 1335
PAR	Apogee PAR meter model MQ-500
UVA	Solarmeter UV Index model 6.5
UVB	Solarmeter UV Index model 6.5
UVC	Solarmeter UVC meter model 8.0
Energy eff. Calcs	EU reg 874/2012 Energy labelling of electrical lamps and luminaires
Euv	Double monochromator Optronics OL574

ADDITIONAL PARTS

HARMONISED STANDARDS

IEC
DE1-6330