



ARCADIA REPTILE



PRODUCT DATA SHEET

RACUP

MAGNETIC CONTROLLER IP67



GENERAL DESCRIPTION - a range of magnetic controllers in a plastic housing with starter. T8 versions with Ultraseal IP67 lampholders with plug and socket leads. Supplied with lamp clips.

SPECIAL PRECAUTIONS

The controller should not be mounted inside a wet vivarium as only the lampholders are waterproof. To prevent water running down the leads to the controller a drip loop should be used. Take care removing and replacing the glass fluorescent tubes. If tube breaks dispose of as instructions for lamp. Dispose of controller in line with WEEE directive.

LUMINAIRE DIMENSIONS

COPYRIGHT & CONFIDENTIAL AP4.3A 12/09

	ACU08	ACU15	ACU18	ACU30	ACU36	ACD15	ACUP15	ACUP18	ACUP30	ACUP36	ACR08	ACR15	ACR18	ACR30	ACR36
<A>	54	54	54	54	54	65	54	54	54	54	54	54	54	54	54
<B>	54	54	54	54	54	70	54	54	54	54	54	54	54	54	54



Lamp leads	ACU08	ACU15	ACU18	ACU30	ACU36	ACD15	ACUP15	ACUP18	ACUP30	ACUP36	ACR08	ACR15	ACR18	ACR30	ACR36
	1 set ultraseal lamp leads IP67					2 sets ultraseal IP67	1 set ultraseal plug and socket lamp leads IP67				1 set splashproof leads IP64				

NOTES:  
 SURFACE PROFILES AND PART DETAIL TO BE TAKEN FROM 3D CAD FILES ONLY.  
 TOOL MOUNT TO CORRECT OR DRAWING FOR TOOL DESIGN.  
 TOOL MOUNT TO ADD RACU WHERE NECESSARY.  
 TOOL MOUNT TO ADVISE APPROPRIATE POSITIONS.  
 UNFINISHED PART COLOUR = TAN

REV	MODIFICATION	DATE	SCALE	ALL DIMS IN MM ISO ANGLE PROJECTION
1	Issued for Drawing & Sample			

**Arcadia**  
 12011 FISH LIFE  
 ARCADIA PRODUCTS PLC  
 TEL: +44 (0) 1757 72 8888  
 FAX: +44 (0) 1757 72 8018  
 P10176




© The Magnetic Controllers

	ARCADIA REPTILE		
	PRODUCT DATA SHEET		
RACUP	MAGNETIC CONTROLLER IP67		 

MEASUREMENTS (based on supplied lamps)

	Nominal wattage	Power usage						
	W	kWh /1000h						
RACUP15	15	19						
RACUP18	18	22						
RACUP30	30	36						
RACUP36	36	43						

COLOUR SPECTRAL CHART wavelength nm

	ARCADIA REPTILE	
	PRODUCT DATA SHEET	
RACUP	MAGNETIC CONTROLLER IP67	 

COLOUR RENDER INDEX CHART
---------------------------

TEST EQUIPMENT
----------------

Power drawn	Everfine HAAS 1200 array spectroradiometer
Lumen output	Everfine HAAS 1200 array spectroradiometer
Colour temperature	Everfine HAAS 1200 array spectroradiometer
Lux	Iso-Tech Light Meter model 1335
PAR	Apogee PAR meter model MQ-500
UVA	Solarmeter UV Index model 6.5
UVB	Solarmeter UV Index model 6.5
UVC	Solarmeter UVC meter model 8.0
Energy eff. Calcs	EU reg 874/2012 Energy labelling of electrical lamps and luminaires

ADDITIONAL PARTS
------------------

HARMONISED STANDARDS
----------------------

LVD	RoHS
EN61347-1:2015	EN50581:2012
EN61347-2-13:2014 +A11	
EN62493:2015	EMC
	EN55015:2013
	EN61547:2009
	EN61000-3-2:2014
	EN61000-3-3:2013